

Historic, archived document

Do not assume content reflects current
scientific knowledge, policies, or practices.

UNITED STATES DEPARTMENT OF AGRICULTURE
Bureau of Agricultural Economics

MAY 1

Released
May 7, 1938

STOCKS OF LEAF TOBACCO OWNED BY DEALERS AND MANUFACTURERS

APRIL 1, 1938

Stocks of leaf tobacco owned by dealers and manufacturers in the United States and Puerto Rico on April 1, 1938, amounted to 2,432,207,000 pounds, compared with 2,279,113,000 pounds on April 1, 1937, and 2,222,019,000 pounds on January 1, 1938. Total stocks were 153,094,000 pounds higher than a year ago April 1, and 210,188,000 pounds higher than on January 1, 1938. The increase in total stocks during the first quarter of 1938 was considerably higher than the increase during the same period of 1937.

Stocks of flue-cured tobacco were reported as 930,907,000 pounds on April 1, 1938, about 58 million pounds higher than a year ago April 1, and about 138 million pounds lower than on January 1, 1938. The stocks of Type 11 on April 1, 1938, were reported as 402,052,000 pounds; Type 12 as 292,221,000 pounds; Type 13 as 168,950,000 pounds; and Type 14 as 67,684,000 pounds.

Stocks of fire-cured tobacco of all types were reported as 205,289,000 pounds on April 1, 1938, compared with 215,883,000 pounds on April 1, 1937, a decrease of about 10½ million pounds. Virginia Fire-cured, Type 21, stocks were reported as 31,032,000 pounds; Type 22 as 126,560,000 pounds; Type 23 as 45,434,000 pounds; and Type 24 as 2,263,000 pounds.

Due to increased production in 1937 Burley stocks were 81,399,000 pounds higher on April 1, 1938, than they were a year ago April 1. The April 1, 1938, report shows 716,720,000 pounds of Burley. Maryland tobacco, Type 32, stocks were reported as 34,740,000 pounds on April 1, 1938. One Sucker stocks on April 1, 1938, were 39,238,000 pounds; Green River stocks were 27,704,000 pounds; Virginia Sun-cured, 3,204,000 pounds; Eastern Ohio, 338,000 pounds; Perique, 355,000 pounds; Other Miscellaneous Domestic, 369,000 pounds; and foreign-grown cigarette tobacco (Turkish and other), 92,360,000 pounds. The marked increase in One Sucker and Green River stocks from January to April is due to increased production.

APRIL 1 CIGAR LEAF TOBACCO STOCKS

Stocks of American-grown cigar-filler types amounted to 210,296,000 pounds on April 1, 1938, an increase of about 2 million pounds over the stocks of April 1, 1937. Compared with a year ago, Types 41, 44, and 46 are higher, and Types 42, 43, and 45 are lower. Type 41, Pennsylvania Seedleaf, stocks were 112,597,000 pounds on April 1, 1938; Type 42, Gebhardt, 15,949,000 pounds; Type 43, Zimmer, 20,014,000 pounds; Type 44, Dutch, 14,290,000 pounds; Type 45, Georgia and Florida sun-grown, 1,541,000 pounds; and Type 46, Puerto Rican (including that on the Island), 45,905,000 pounds. The detailed report by groups of grades shows about two-fifths of one percent of the total filler type stocks as binder quality; 143,991,000 pounds, or about 68 percent in the C group as strictly filler grades; 52,769,000 pounds, or about 25 percent in the X group as stemming grades; 8,041,000, or about 4 percent in the Y group as ground leaves; and the balance in the S and N groups.

The cigar binder type stocks, some of which are used for wrappers were 6,599,000 pounds lower on April 1, 1938, than they were April 1 a year ago. Total binder type stocks were reported as 150,108,000 pounds on April 1, 1938. Type 51, Connecticut Broadleaf, stocks were reported as 35,396,000 pounds; Type 52, Connecticut Havana Seed, 29,227,000 pounds; Type 53, New York and Pennsylvania Havana Seed, 2,666,000 pounds; Type 54, Southern Wisconsin, 49,596,000 pounds, and Northern Wisconsin, 33,221,000 pounds. The detailed report by groups of grades shows that of the total binder type stocks reported 4,040,000 pounds, or about 3 percent are of wrapper quality; 63,099,000 pounds or about 42 percent, are binders; 3,271,000 pounds, or about 2 percent, are fillers; 78,308,000 pounds, or about 52 percent are X group or stemming grade tobacco; and the balance in the Y, S, and N groups.

Shade-grown wrapper type stocks were reported on April 1, 1938, as 10,752,000 pounds. Connecticut Shade stocks were 7,776,000 pounds, and Georgia and Florida Shade stocks were 2,976,000 pounds. Of the total shade tobacco stocks reported, 9,433,000 pounds are shown in the A group as being of actual wrapper quality.

The foreign-grown cigar-leaf tobacco stocks in the United States on April 1, 1938, consisted of 6,146,000 pounds of Cuba (Havana) tobacco, 1,404,000 pounds of Sumatra and Java, and 2,263,000 pounds of Philippine Islands (Manila) tobacco. The detailed report shows these stocks subdivided into wrappers, fillers, and scrap.

The figures quoted for type totals are the sums of unstemmed and stemmed leaf as reported. For information on American-grown types shown on a farm-sales-weight basis with stemmed leaf converted to unstemmed equivalent, see page 12 of this report.

EXPLANATION OF GROUP SYMBOLS

GROUPS OF TYPES 11, 12, 13 and 14:

A-Wrappers
B-Heavy Leaf, Cutting Leaf
and Fillers
C-Thin Leaf or Cutters
X-Lugs and Ground Leaves
S-Scrap
N-Nondescript

GROUPS OF TYPES 21, 22, 23 and 24:

A-Wrappers
B-Heavy Leaf
C-Thin Leaf
X-Lugs
S-Scrap
N-Nondescript

GROUPS OF TYPE 31:

A-Wrappers
B-Leaf or Fillers and Tips
C-Lugs or Cutters
X-Trash, Flyings and Spods
S-Scrap
N-Nondescript

GROUPS OF TYPE 32:

B-Heavy Leaf, locally known as
Dull Crop
C-Thin Leaf, locally known as
Bright Crop
X-Seconds and Ground Leaves
S-Scrap
N-Nondescript

GROUPS OF TYPES 35, 36 and 37:

A-Wrappers
B-Heavy Leaf
C-Thin Leaf
X-Lugs
S-Scrap
N-Nondescript

GROUPS OF TYPE 41:

B-Binders or Tops
C-Fillers, locally known as
Wrappers or B's
X-Stemming and crops unsuitable
for sorting
Y-Farm Fillers or Ground Leaves
S-Scrap
N-Nondescript

GROUPS OF TYPES 42, 43 and 44:

C-Fillers, locally known as Wrappers
X-Stemming and crops unsuitable for
sorting
Y-Farm Fillers or Ground Leaves
S-Scrap
N-Nondescript

GROUPS OF TYPE 45:

C-Fillers
X-Stemming and crops unsuitable for
sorting
Y-Ground Leaves
S-Scrap
N-Nondescript

GROUPS OF TYPE 46:

C-Fillers (Tripas)
X-Resagos, Boliches, and crops
unsuitable for sorting
Y-Ground Leaves (Pie)
S-Scrap (Picadura)
N-Nondescript

GROUPS OF TYPES 51, 52 and 53:

A-Wrappers
B-Binders, Seconds, and Brokes
C-Fillers and Short Darks
X-Stemming and crops unsuitable for
sorting
Y-Sand-leaf Fillers or Ground Leaves
S-Scrap
N-Nondescript

GROUPS OF TYPES 54 and 55:

B-Binders
C-Fillers, locally known as Tips or
B's
X-Stemming and crops unsuitable for
sorting
Y-Sand-leaf Fillers or Bottom Leaves
S-Scrap
N-Nondescript

GROUPS OF TYPES 61 and 62:

A-Wrappers
B-Stout Wrappers and Binders
C-Fillers or Tips
X-Filler Brokes
S-Scrap
N-Nondescript

GROUPS OF TYPES 81, 82 and 83:

A-Wrappers
C-Fillers
S-Scrap

TOBACCO STOCKS BY GROUPS OF GRADES
APRIL 1, 1938.

U. S. TYPE 11.--OLD BELT FLUE-CURED VIRGINIA AND NORTH CAROLINA

| Group | Unstemmed 1000 lbs. | Stemmed 1000 lbs. | April 1 Group Totals 1000 lbs. | January 1 Group Totals 1000 lbs. |
|-------|------------------------|----------------------|--------------------------------------|--|
| A | 7,805 | 2 | 7,807 | 8,333* |
| B | 55,733 | 5,870 | 61,603 | 68,116* |
| C | 100,743 | 13,517 | 114,260 | 144,185* |
| X | 187,067 | 13,438 | 205,555 | 200,768* |
| S | 11,223 | 692 | 11,915 | 11,830 |
| N | 892 | 20 | 912 | 1,505* |
| Total | 363,463 | 38,589 | 402,052 | 434,737* |

U. S. TYPE 12.--EASTERN NORTH CAROLINA FLUE-CURED

| | | | | |
|-------|---------|--------|---------|----------|
| A | 1,598 | - | 1,598 | 321 |
| B | 31,142 | 5,352 | 36,494 | 52,167 |
| C | 88,520 | 16,815 | 105,335 | 152,376* |
| X | 116,427 | 16,646 | 133,073 | 143,653 |
| S | 13,733 | 1,579 | 15,312 | 15,076 |
| N | 288 | 121 | 409 | 1,408 |
| Total | 251,703 | 40,513 | 292,221 | 365,001* |

U. S. TYPE 13.--SOUTH CAROLINA FLUE-CURED
(INCLUDING SOUTHEASTERN N. C.)

| | | | | |
|-------|---------|--------|---------|----------|
| A | 679 | - | 679 | 670 |
| B | 22,751 | 4,178 | 26,929 | 31,848 |
| C | 47,245 | 5,035 | 52,280 | 59,762* |
| X | 76,584 | 7,432 | 84,016 | 92,535 |
| S | 4,541 | 138 | 4,679 | 6,410* |
| N | 367 | - | 367 | 319 |
| Total | 152,167 | 16,783 | 168,950 | 191,544* |

U. S. TYPE 14.--GEORGIA AND FLORIDA FLUE-CURED

| | | | | |
|-------|--------|--------|--------|--------|
| A | 178 | - | 178 | 93 |
| B | 6,097 | 4,036 | 10,133 | 11,690 |
| C | 2,281 | 26,588 | 28,869 | 34,531 |
| X | 7,728 | 19,020 | 26,748 | 29,486 |
| S | 1,152 | 503 | 1,655 | 1,865 |
| N | 60 | 41 | 101 | 282 |
| Total | 17,496 | 50,183 | 67,684 | 77,947 |

(Figures rounded to nearest thousand pounds)

* Revisions in January 1 report.

U. S. TYPE 21.--VIRGINIA FIRE-CURED

| Group | Unstemmed 1000 lbs. | Stemmed 1000 lbs. | April 1 Group Totals 1000 lbs. | January 1 Group Totals 1000 lbs. |
|-------|------------------------|----------------------|--------------------------------------|--|
| A | 834 | - | 834 | 671 |
| B | 8,091 | 277 | 8,368 | 6,635 |
| C | 1,999 | 60 | 2,059 | 1,361 |
| X | 18,320 | 410 | 18,730 | 13,841 |
| S | 1,036 | - | 1,036 | 1,060 |
| N | 5 | - | 5 | 4 |
| Total | 30,285 | 747 | 31,032 | 23,572 |

U. S. TYPE 22.--TENNESSEE AND KENTUCKY FIRE-CURED
(EASTERN DISTRICT C. H. & S.)

| | | | | |
|-------|---------|-----|---------|---------|
| A | 2,582 | 2 | 2,584 | 1,077* |
| B | 79,416 | 365 | 79,781 | 64,762* |
| C | 17,398 | 65 | 17,463 | 9,137* |
| X | 25,523 | 31 | 25,554 | 15,999 |
| S | 702 | 9 | 711 | 235 |
| N | 467 | - | 467 | 259 |
| Total | 126,088 | 472 | 126,560 | 91,469* |

U. S. TYPE 23.--KENTUCKY AND TENNESSEE FIRE-CURED
(WESTERN DISTRICT M. & P.)

| | | | | |
|-------|--------|-----|--------|---------|
| A | 58 | 1 | 59 | 42 |
| B | 26,111 | 28 | 26,139 | 18,720 |
| C | 9,263 | 11 | 9,274 | 3,064 |
| X | 9,651 | 60 | 9,711 | 4,413* |
| S | 248 | 3 | 251 | 201 |
| N | - | - | - | - |
| Total | 45,331 | 103 | 45,434 | 26,440* |

U. S. TYPE 24.--HENDERSON STEMMING OR NORTHERN FIRE-CURED

| | | | | |
|-------|-------|-----|-------|-------|
| A | - | - | - | - |
| B | 903 | 118 | 1,021 | 694 |
| C | 584 | 3 | 587 | 261 |
| X | 604 | - | 604 | 338 |
| S | 51 | - | 51 | 71 |
| N | - | - | - | 15 |
| Total | 2,142 | 121 | 2,263 | 1,379 |

(Figures rounded to nearest thousand pounds)

* Revisions in January 1 report.

U. S. TYPE 31.--BURLEY**

| Group | Unstemmed 1000 lbs. | Stemmed 1000 lbs. | April 1 Group Totals 1000 lbs. | January 1 Group Totals 1000 lbs. |
|-------|------------------------|----------------------|--------------------------------------|--|
| A | 1,497 | - | 1,497 | 1,182* |
| B | 236,421 | 33,954 | 270,375 | 195,465* |
| C | 242,711 | 23,956 | 266,667 | 218,233* |
| X | 154,700 | 11,470 | 166,170 | 122,253* |
| S | 8,977 | 2,635 | 11,612 | 9,786 |
| N | 399 | - | 399 | 352 |
| Total | 644,705 | 72,015 | 716,720 | 547,271* |

U. S. TYPE 32.--SOUTHERN MARYLAND

| | | | | |
|-------|--------|-----|--------|---------|
| B | 5,325 | - | 5,325 | 5,485* |
| C | 22,788 | 589 | 23,377 | 27,177 |
| X | 5,666 | 38 | 5,704 | 6,979 |
| S | 20 | 267 | 287 | 187 |
| N | 47 | - | 47 | 24 |
| Total | 33,846 | 894 | 34,740 | 39,852* |

U. S. TYPE 35.--ONE SUCKER

| | | | | |
|-------|--------|-------|--------|---------|
| A | 1,199 | - | 1,199 | 985 |
| B | 15,567 | 902 | 16,469 | 10,673 |
| C | 9,012 | - | 9,012 | 4,671* |
| X | 10,067 | 1,045 | 11,112 | 6,720* |
| S | 379 | - | 379 | 426 |
| N | 1,067 | - | 1,067 | 761 |
| Total | 37,291 | 1,947 | 39,238 | 24,236* |

U. S. TYPE 36.--GREEN RIVER

| | | | | |
|-------|--------|-----|--------|--------|
| A | 196 | - | 196 | 163 |
| B | 9,188 | 184 | 9,372 | 7,913 |
| C | 2,436 | - | 2,436 | 1,286 |
| X | 14,631 | 714 | 15,345 | 9,934 |
| S | 339 | 16 | 355 | 404 |
| N | - | - | - | 295 |
| Total | 26,790 | 914 | 27,704 | 19,995 |

U. S. TYPE 37.--VIRGINIA SUN-CURED

| | | | | |
|-------|-------|-------|-------|--------|
| A | 124 | - | 124 | 120 |
| B | 497 | 39 | 536 | 363 |
| C | 477 | 5 | 482 | 341* |
| X | 770 | 1,109 | 1,879 | 883 |
| S | 183 | - | 183 | 172 |
| Total | 2,051 | 1,153 | 3,204 | 1,879* |

(Figures rounded to nearest thousand pounds)

* Revisions in January 1 report.

** See Supplementary Burley report on page 11.

U. S. TYPE 41.-PENNSYLVANIA SEEDLEAF

| Group | Unstemmed 1000 lbs. | Stemmed 1000 lbs. | April 1 Group Totals 1000 lbs. | January 1 Group Totals 1000 lbs. |
|-------|------------------------|----------------------|--------------------------------------|--|
| B | 714 | 3 | 717 | 618 |
| C | 79,565 | 3,012 | 82,577 | 65,749* |
| X | 22,338 | 1,963 | 24,301 | 17,825 |
| Y | 4,750 | 1 | 4,751 | 2,465 |
| S | 4 | 247 | 251 | 279* |
| N | - | - | - | 16 |
| Total | 107,371 | 5,226 | 112,597 | 86,952* |

U. S. TYPE 42.-GEBHARDT, MIAMI VALLEY

| | | | | |
|-------|--------|-------|--------|---------|
| C | 9,618 | 714 | 10,332 | 8,698 |
| X | 4,311 | 214 | 4,525 | 3,672 |
| Y | 927 | - | 927 | 121 |
| S | 57 | 108 | 165 | 126* |
| N | - | - | - | 8 |
| Total | 14,913 | 1,036 | 15,949 | 12,625* |

U. S. TYPE 43.-ZIMMER, MIAMI VALLEY

| | | | | |
|-------|--------|-------|--------|--------|
| C | 8,220 | 661 | 8,881 | 8,330 |
| X | 9,982 | 243 | 10,225 | 8,325 |
| Y | 137 | - | 137 | 72 |
| S | 2 | 769 | 771 | 485 |
| Total | 18,341 | 1,673 | 20,014 | 17,212 |

U. S. TYPE 44.-DUTCH, MIAMI VALLEY

| | | | | |
|-------|--------|-----|--------|-------|
| C | 9,905 | 65 | 9,970 | 8,197 |
| X | 4,082 | 26 | 4,108 | 938 |
| Y | 124 | 4 | 128 | 26 |
| S | 8 | 72 | 80 | 78 |
| N | - | 4 | 4 | 3 |
| Total | 14,119 | 171 | 14,290 | 9,242 |

U. S. TYPE 45.-GEORGIA AND FLORIDA SUN-GROWN

| | | | | |
|-------|-------|-----|-------|-------|
| B** | 111 | 7 | 118 | 139 |
| C | 985 | 395 | 1,380 | 1,127 |
| X | - | 2 | 2 | 340 |
| Y | 5 | - | 5 | - |
| S | 17 | 19 | 36 | 19 |
| Total | 1,118 | 423 | 1,541 | 1,625 |

U. S. TYPE 46.-PUERTO RICAN SUN-GROWN***

| | | | | |
|-------|--------|--------|--------|---------|
| C | 8,708 | 22,143 | 30,851 | 29,083* |
| X | 5,335 | 4,273 | 9,608 | 7,204* |
| Y | 1,171 | 922 | 2,093 | 657* |
| S | 61 | 3,178 | 3,239 | 2,424* |
| N | 85 | 29 | 114 | 89* |
| Total | 15,360 | 30,545 | 45,905 | 39,457* |

(Figures rounded to nearest thousand pounds)

* Revisions in January 1 report.

** Limited quantity of binder tobacco produced in Georgia and Florida included in Type 45.

*** Includes stocks of leaf tobacco in Puerto Rico.

U. S. TYPE 51.-CONNECTICUT VALLEY BROADLEAF

| Group | | | April 1 | January 1 |
|-------|-----------|-----------|--------------|--------------|
| | Unstemmed | Stemmed | Group Totals | Group Totals |
| | 1000 lbs. | 1000 lbs. | 1000 lbs. | 1000 lbs. |
| A | 1,918 | 2 | 1,920 | 1,560 |
| B | 24,729 | 158 | 24,887 | 19,276* |
| C | 1,138 | 15 | 1,153 | 791* |
| X | 6,342 | 873 | 7,215 | 3,004 |
| Y | 1 | 1 | 2 | 3 |
| S | 6 | 188 | 194 | 217* |
| N | - | 25 | 25 | - |
| Total | 34,134 | 1,262 | 35,396 | 24,851* |

U. S. TYPE 52.-CONNECTICUT VALLEY HAVANA SEED

| | | | | |
|-------|--------|-------|--------|---------|
| A | 2,113 | 4 | 2,117 | 2,021 |
| B | 19,358 | 84 | 19,442 | 16,644 |
| C | 711 | 69 | 780 | 653 |
| X | 5,543 | 1,169 | 6,712 | 3,448 |
| Y | - | - | - | 49 |
| S | - | 175 | 175 | 101* |
| N | - | 1 | 1 | 3 |
| Total | 27,725 | 1,502 | 29,227 | 22,919* |

U. S. TYPE 53.-NEW YORK AND PENNSYLVANIA HAVANA SEED

| | | | | |
|-------|-------|----|-------|-------|
| A | 3 | - | 3 | 14 |
| B | 67 | - | 67 | 81 |
| C | 172 | 3 | 175 | 37 |
| X | 2,066 | - | 2,066 | 1,648 |
| Y | 346 | - | 346 | 99 |
| S | 2 | 7 | 9 | 8 |
| Total | 2,656 | 10 | 2,666 | 1,887 |

U. S. TYPE 54.-SOUTHERN WISCONSIN

| | | | | |
|-------|--------|-------|--------|---------|
| B | 4,106 | 28 | 4,134 | 2,690* |
| C | 276 | 403 | 679 | 772 |
| X | 40,399 | 4,019 | 44,418 | 37,626 |
| Y | 1 | - | 1 | - |
| S | 343 | 21 | 364 | 10 |
| N | 2 | - | 2 | - |
| Total | 45,127 | 4,471 | 49,598 | 41,098* |

U. S. TYPE 55.-NORTHERN WISCONSIN

| | | | | |
|-------|--------|-------|--------|---------|
| B | 14,428 | 141 | 14,569 | 10,577 |
| C | 274 | 210 | 484 | 442 |
| X | 17,160 | 737 | 17,897 | 13,005 |
| Y | 216 | - | 216 | 34 |
| S | 7 | 48 | 55 | 94* |
| Total | 32,085 | 1,136 | 33,221 | 24,152* |

(Figures rounded to nearest thousand pounds)

* Revisions in January 1 report.

U. S. TYPE 61.-CONNECTICUT VALLEY SHADE

| Group | Unstemmed : 1000 lbs. | Stemmed : 1000 lbs. | April 1. : Group Totals : 1000 lbs. | January 1 : Group Totals : 1000 lbs. |
|-------|--------------------------|------------------------|---|--|
| A | 6,817 | 9 | 6,826 | 7,708* |
| B | 554 | 36 | 590 | 1,083* |
| C | 206 | 14 | 220 | 304 |
| X | 47 | - | 47 | 30 |
| S | 14 | 73 | 87 | 209 |
| N | - | 6 | 6 | 7 |
| Total | 7,638 | 138 | 7,776 | 9,341* |

U. S. TYPE 62.-GEORGIA AND FLORIDA SHADE

| | | | | |
|-------|-------|----|-------|--------|
| A | 2,604 | 3 | 2,607 | 3,424* |
| B | 306 | - | 306 | 441 |
| C | 33 | - | 33 | 20 |
| X | 16 | - | 16 | 36 |
| S | 4 | 8 | 12 | 5 |
| N | - | 2 | 2 | 1 |
| Total | 2,963 | 13 | 2,976 | 3,927* |

U. S. TYPE 71.-EASTERN OHIO

| | | | | |
|-----------|-----|----|-----|-----|
| No Groups | 327 | 11 | 338 | 396 |
|-----------|-----|----|-----|-----|

U. S. TYPE 72.-PERIQUE

| | | | | |
|-----------|----|-----|-----|-----|
| No Groups | 17 | 338 | 355 | 381 |
|-----------|----|-----|-----|-----|

U. S. TYPE 73.-OTHER MISCELLANEOUS DOMESTIC

| | | | | |
|-----------|----|-----|-----|-----|
| No Groups | 35 | 334 | 369 | 526 |
|-----------|----|-----|-----|-----|

U. S. TYPE 81.-CUBA (HAVANA)

| | | | | |
|-------|-------|-------|-------|--------|
| A | 135 | 24 | 159 | 200 |
| C | 874 | 4,047 | 4,921 | 4,892 |
| S | 31 | 1,035 | 1,066 | 1,156* |
| Total | 1,040 | 5,106 | 6,146 | 6,248* |

(Figures rounded to nearest thousand pounds)

* Revisions in January 1 report.

U. S. TYPE 82.--SUMATRA AND JAVA

| Group | : Unstemmed | : Stemmed | : April 1 | : January 1 |
|-------|-------------|-------------|-------------|-------------|
| | : 1000 lbs. | : 1000 lbs. | : 1000 lbs. | : 1000 lbs. |
| A | : 1,375 | : 2 | : 1,377 | : 1,621 |
| C | : 25 | : - | : 25 | : 47 |
| S | : - | : 2 | : 2 | : 3 |
| Total | : 1,400 | : 4 | : 1,404 | : 1,671 |

U. S. TYPE 83.--PHILIPPINE ISLANDS (MANILA)

| | | | | |
|-------|---------|---------|---------|----------|
| C | : - | : 55 | : 55 | : 174* |
| S | : 1,215 | : 993 | : 2,208 | : 1,633 |
| Total | : 1,215 | : 1,048 | : 2,263 | : 1,807* |

U. S. TYPE 84.--OTHER FOREIGN GROWN CIGAR LEAF

| | | | | |
|-----------|-----|------|------|------|
| No Groups | : 2 | : 12 | : 14 | : 14 |
|-----------|-----|------|------|------|

U. S. TYPE 90.--FOREIGN-GROWN CIGARETTE TOBACCO
(TURKISH AND OTHER)

| | | | | |
|-----------|----------|-----|----------|----------|
| No Groups | : 92,357 | : 3 | : 92,360 | : 70,366 |
|-----------|----------|-----|----------|----------|

GRAND TOTAL ALL TYPES

| Quarter | : Unstemmed | : Stemmed | : Grand Total |
|-----------------|--------------|-------------|---------------|
| | : 1000 lbs. | : 1000 lbs. | : 1000 lbs. |
| April 1, 1938 | : 2,153,306 | : 278,901 | : 2,432,207 |
| January 1, 1938 | : 1,941,212* | : 280,807* | : 2,222,019* |

(Figures rounded to nearest thousand pounds)

* Revisions in January 1 report.

SUPPLEMENTARY REPORT ON
BURLEY TOBACCO STOCKS BY GROUPS AND QUALITIES
APRIL 1, 1938.

| Group | Quality | Unstemmed: 1000 lbs. | Stemmed: 1000 lbs. | April 1 Total 1000 lbs. | January 1 Total 1000 lbs. |
|-----------------------------------|----------------|-------------------------|-----------------------|-------------------------------|---------------------------------|
| A - Wrapper | All Grades | 1,497 | - | 1,497 | 1,182* |
| B - Bright Leaf | Choice to Fine | 16,307 | 1,403 | 17,710 | 16,924* |
| | Medium or Good | 47,026 | 4,541 | 51,567 | 45,389* |
| | Fair to Common | 9,535 | 4,396 | 13,931 | 3,387* |
| Total Bright Leaf | | 72,918 | 10,340 | 83,258 | 65,700* |
| B - Red Leaf (Including Green) | Choice to Fine | 19,492 | 2,418 | 21,910 | 15,863 |
| | Medium or Good | 42,012 | 6,952 | 48,964 | 33,619* |
| | Fair to Common | 8,236 | 3,042 | 11,278 | 9,686* |
| Total Red Leaf | | 69,740 | 12,412 | 82,152 | 59,168* |
| B - Tips | Medium or Good | 48,184 | 6,988 | 55,172 | 36,469* |
| | Fair to Common | 45,579 | 4,214 | 49,793 | 34,128* |
| Total Tips | | 93,763 | 11,202 | 104,965 | 70,597* |
| Total B Group | | 236,421 | 33,954 | 270,375 | 195,465* |
| C - Lugs and Cutters | Choice to Fine | 86,774 | 9,724 | 96,498 | 89,236 |
| | Medium or Good | 94,641 | 8,297 | 102,938 | 83,183* |
| | Fair to Common | 61,296 | 5,935 | 67,231 | 45,814* |
| Total C Group | | 242,711 | 23,956 | 266,667 | 218,233* |
| X - Granulators or Flyings | Choice to Fine | 63,395 | 4,417 | 67,812 | 56,683* |
| | Medium or Good | 57,194 | 4,088 | 61,282 | 45,405* |
| | Fair to Common | 34,111 | 2,965 | 37,076 | 20,165* |
| Total X Group | | 154,700 | 11,470 | 166,170 | 122,253* |
| S - Scrap | All Kinds | 8,977 | 2,635 | 11,612 | 9,786 |
| N - Nondescript | Unsuitable for | | | | |
| | manufacture | 399 | - | 399 | 352 |
| | | | | | |
| TOTAL ALL GROUPS | | 644,705 | 72,015 | 716,720 | 547,271* |

(Figures rounded to nearest thousand pounds)

SUPPLEMENTARY REPORT ON

TOBACCO STOCKS CONVERTED TO FARM-SALES WEIGHT, APRIL 1, 1938

| Type name | U.S. type number | Stemmed | | Unstemmed reported | Total on unstemmed basis | April 1 | | January 1 |
|--------------------------|------------------------|----------------------|-------------------------|-----------------------|--------------------------------|-----------------------|------------|-----------|
| | | Quantity reported | Unstemmed equivalent | | | farm-sales- weight | equivalent | |
| | | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. |
| Flue-cured | 11-14: | 146,073 | 187,266 | 784,834 | 972,100 | 1,088,752 | 1,248,912* | |
| Virginia fire-cured | 21 | 747 | 970 | 30,285 | 31,255 | 36,881 | 27,977 | |
| Tenn. and Ky. fire-cured | 22 | 472 | 621 | 126,088 | 126,709 | 131,777 | 95,168* | |
| Ky. and Tenn. fire-cured | 23 | 103 | 136 | 45,331 | 45,467 | 47,286 | 27,507* | |
| Henderson Stemming | 24 | 121 | 159 | 2,142 | 2,301 | 2,589 | 1,565 | |
| Burley | 31 | 72,015 | 97,292 | 644,705 | 741,997 | 831,037 | 635,755* | |
| Southern Maryland | 32 | 894 | 1,208 | 33,846 | 35,054 | 35,755 | 41,096* | |
| One Sucker | 35 | 1,947 | 2,782 | 37,291 | 40,073 | 43,680 | 27,101* | |
| Green River | 36 | 914 | 1,203 | 26,790 | 27,993 | 31,632 | 22,759 | |
| Virginia sun-cured | 37 | 1,153 | 1,517 | 2,051 | 3,568 | 4,032 | 2,292* | |
| Pennsylvania Seedleaf | 41 | 5,226 | 7,248 | 107,371 | 114,619 | 127,227 | 98,683* | |
| Gebhardt | 42 | 1,036 | 1,419 | 14,913 | 16,332 | 18,292 | 14,625* | |
| Zimmer | 43 | 1,673 | 2,344 | 18,341 | 20,685 | 23,374 | 20,099 | |
| Dutch | 44 | 171 | 242 | 14,119 | 14,361 | 16,013 | 10,396 | |
| Ga. and Fla. sun-grown | 45 | 423 | 539 | 1,118 | 1,657 | 2,063 | 2,180 | |
| Puerto Rican sun-grown | 46 | 44,726 | 57,026 | 37,918 | 94,944 | 111,084 | 56,451* | |
| Connecticut Broadleaf | 51 | 1,262 | 1,631 | 34,134 | 35,765 | 38,269 | 26,962* | |
| Connecticut Havana Seed | 52 | 1,502 | 1,951 | 27,725 | 29,676 | 31,753 | 24,947* | |
| N.Y. and Pa. Havana Seed | 53 | 10 | 14 | 2,656 | 2,670 | 3,030 | 2,146 | |
| Southern Wisconsin | 54 | 4,471 | 5,812 | 45,127 | 50,939 | 53,995 | 45,014* | |
| Northern Wisconsin | 55 | 1,136 | 1,514 | 32,085 | 33,599 | 36,455 | 26,673* | |
| Connecticut shade-grown | 61 | 138 | 169 | 7,638 | 7,807 | 8,861 | 10,668* | |
| Ga. and Fla. shade-grown | 62 | 13 | 16 | 2,963 | 2,979 | 3,456 | 4,562* | |

*Revisions in January 1 report.

In this table stocks are shown as reported, and converted to a farm-sales-weight basis, taking into account the loss in stemming and the loss in handling, fermentation, and storage.

(Figures rounded to nearest thousand pounds)

TOBACCO STOCKS REPORT
LEAF TOBACCO OWNED BY DEALERS AND MANUFACTURERS, APRIL 1, 1938
and comparisons with other quarters

(Figures are in thousands of pounds)

| Type name | U.S. : type : number: | April 1, 1938 1/ Unstemmed : | Stemmed : | Total : | January 1, : 1938 : Total : | April 1, : 1937 : Total : | January 1, : 1937 : Total : |
|--|-----------------------------|---------------------------------|-----------|-----------|-----------------------------------|---------------------------------|-----------------------------------|
| | | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. |
| Old Belt Flue-cured Va. and N. C. | 11 | 363,463 | 38,589 | 402,052 | 434,737* | 388,005 | 419,039 |
| Eastern N. C. Flue-cured | 12 | 251,708 | 40,513 | 292,221 | 365,001* | 275,721 | 314,533 |
| South Carolina Flue-cured (Including Southeastern N. C.) | 13 | 152,167 | 16,783 | 168,950 | 191,544* | 143,286 | 165,921 |
| Georgia and Florida Flue-cured | 14 | 17,496 | 50,188 | 67,684 | 77,947 | 65,497 | 73,427 |
| Total Flue-cured | -- | 784,834 | 146,073 | 930,907 | 1,069,229* | 872,509 | 972,920 |
| Virginia Fire-cured | 21 | 30,285 | 747 | 31,032 | 23,572 | 30,247 | 25,647 |
| Tennessee and Kentucky Fire-cured (Eastern District C. H. and S.) | 22 | 126,088 | 472 | 126,560 | 91,469* | 136,488 | 114,242 |
| Kentucky and Tennessee Fire-cured (Western District M. and P.) | 23 | 45,331 | 103 | 45,434 | 26,440* | 45,848 | 33,711 |
| Henderson Stemming | 24 | 2,142 | 121 | 2,263 | 1,379 | 3,300 | 2,873 |
| Total Fire-cured | -- | 203,846 | 1,443 | 205,289 | 142,860* | 215,883 | 176,473 |
| Burley | 31 | 644,705 | 72,015 | 716,720 | 547,271* | 635,321 | 593,610 |
| Southern Maryland | 32 | 33,846 | 894 | 34,740 | 39,852* | 31,573 | 37,436 |
| Total Light Air-cured | -- | 678,551 | 72,909 | 751,460 | 587,123* | 666,894 | 631,046 |
| One Sucker | 35 | 37,291 | 1,947 | 39,238 | 24,236* | 27,826 | 23,939 |
| Green River | 36 | 26,790 | 914 | 27,704 | 19,995 | 26,879 | 24,919 |
| Virginia Sun-cured | 37 | 2,051 | 1,153 | 3,204 | 1,879* | 2,975 | 2,154 |
| Total Dark Air-cured | -- | 66,132 | 4,014 | 70,146 | 46,110* | 57,680 | 51,012 |
| Pennsylvania Seedleaf | 41 | 107,371 | 5,226 | 112,597 | 86,952* | 111,405 | 79,599 |
| Gebhardt (Ohio-Miami Valley) | 42 | 14,913 | 1,036 | 15,949 | 12,625* | 17,783 | 17,047 |
| Zimmer (Ohio-Miami Valley) | 43 | 18,341 | 1,673 | 20,014 | 17,212 | 25,518 | 23,069 |
| Dutch (Ohio-Miami Valley) | 44 | 14,119 | 171 | 14,290 | 9,242 | 12,422 | 6,706 |
| Georgia and Florida Sun-grown | 45 | 1,118 | 423 | 1,541 | 1,625 | 1,554 | 1,360 |
| Puerto Rican Sun-grown 2/ | 46 | 15,360 | 30,545 | 45,905 | 39,457* | 39,515 | 36,897 |
| Total Cigar-Filler Types | -- | 171,222 | 39,074 | 210,296 | 167,113* | 208,197 | 164,678 |
| Connecticut Broadleaf | 51 | 34,134 | 1,262 | 35,396 | 24,851* | 36,657 | 29,209 |
| Connecticut Havana Seed | 52 | 27,725 | 1,502 | 29,227 | 22,919* | 27,951 | 25,084 |
| N. Y. and Pa. Havana Seed | 53 | 2,656 | 10 | 2,666 | 1,887 | 2,460 | 1,650 |
| Southern Wisconsin | 54 | 45,127 | 4,471 | 49,598 | 41,098* | 56,909 | 52,180 |
| Northern Wisconsin | 55 | 32,085 | 1,136 | 33,221 | 24,152* | 32,730 | 26,619 |
| Total Cigar-Binder Types | -- | 141,727 | 8,381 | 150,108 | 114,907* | 156,707 | 134,742 |
| Connecticut Shade-grown | 61 | 7,638 | 138 | 7,776 | 9,341* | 8,639 | 9,134 |
| Georgia and Florida Shade-grown | 62 | 2,963 | 13 | 2,976 | 3,927* | 3,098 | 3,725 |
| Total Shade-grown | -- | 10,601 | 151 | 10,752 | 13,268* | 11,737 | 12,859 |
| Eastern Ohio | 71 | 327 | 11 | 338 | 396 | 353 | 416 |
| Perique | 72 | 17 | 338 | 355 | 381 | 160 | 235 |
| Other Miscellaneous Domestic | 73 | 35 | 334 | 369 | 526 | 544 | 677 |
| Total Miscellaneous Domestic | -- | 379 | 683 | 1,062 | 1,303 | 1,057 | 1,328 |
| Cuba (Havana) | 81 | 1,040 | 5,106 | 6,146 | 6,248* | 7,495 | 7,179 |
| Sumatra and Java | 82 | 1,400 | 4 | 1,404 | 1,671 | 1,994 | 2,328 |
| Philippine Islands (Manila) | 83 | 1,215 | 1,048 | 2,263 | 1,807* | 827 | 700 |
| Other Foreign-grown Cigar Leaf | 84 | 2 | 12 | 14 | 14 | 28 | 16 |
| Total Foreign-grown Cigar Leaf | -- | 3,657 | 6,170 | 9,827 | 9,740* | 10,344 | 10,223 |
| Foreign-grown Cigarette Tobacco (Turkish and other) | 90 | 92,357 | 3 | 92,360 | 70,366 | 78,105 | 54,561 |
| Total all types | -- | 2,153,306 | 278,901 | 2,432,207 | 2,222,019* | 2,279,113 | 2,209,842 |

These statistics represent the quantity of leaf tobacco reported as owned by all leaf tobacco dealers, manufacturers, quasi-manufacturers, growers' cooperative associations, warehousemen, brokers, holders, and owners, except (a) the original growers of tobacco, (b) manufacturers who in the first three quarters of 1937, according to the returns of the Commissioner of Internal Revenue, manufactured less than 35,000 pounds of tobacco, less than 185,000 cigars, or less than 750,000 cigarettes, pursuant to the provisions of The Tobacco Stocks and Standards Act approved January 14, 1929, and the amendments thereto passed in the 72nd and the 74th Congress.

1/ Subject to revision.

2/ Includes stocks on the island of Puerto Rico.

* Revisions in January 1 report.

